

© 2015 American Foundry Society, Inc.

Meets the Requirements of OSHA Standard 29 CFR 1910.1200 Hazard Communication and EPA Supplier Notification Requirements under Section 313 of the Emergency Planning and Community Right-to-Know

**SAFETY DATA SHEET (SDS)** 

# MANGANESE BRONZE ALLOY CASTINGS LEADED MANGANESE BRONZE ALLOY CASTINGS

SDS SC-000-022 Rev 13

**DATE ISSUED** 

01/15

## SECTION 1—PRODUCT IDENTIFICATION & COMPANY INFORMATION

#### PRODUCT NAME

# MANGANESE BRONZE ALLOY CASTINGS LEADED MANGANESE BRONZE ALLOY CASTINGS

**OTHER DESIGNATIONS**: Copper Alloy Specification No's Unified Numbering System (UNS) **UNS ALLOY DESIGNATIONS**:

C86500	C99700
C86700	C99750
C86800	
	C86700

C86400 C99600

## **PRODUCT IDENTIFICATION (Label Identifier)**

Manganese Bronze Alloy Castings

MANUFACTURER'S NAME	STREET ADDRESS
Modern Investment Casting Company	850 Oakland Avenue
EMERGENCY TELEPHONE NO.	MAILING ADDRESS
800-364-6422	PO Box 707
TELEPHONE NO.	CITY, STATE, ZIP CODE, COUNTRY
580-762-6547	Ponca City, OK, 74602, USA
FAX NO.	E-MAIL ADDRESS/WEBSITE
580-762-9357	www.emicc.com

## RECOMMENDED USE OF CHEMICAL AND RESTRICTIONS ON USE

Solid casting; no restrictions

#### **SECTION 2—HAZARD IDENTIFICATION**

#### **CLASSIFICATION**

Castings are metallic articles that do not present hazards in their original form.

## OTHER INFORMATION

- 1. Grinding castings that have not been cleaned or that contain embedded sand may generate significant amounts of dust containing crystalline silica.
- 2. Fumes from hot processes may contain other compounds with different exposure limits. Dust or fumes generated by machining, grinding, welding or thermal cutting of the casting may produce airborne contaminants. Consult Sections 3 & 8 for further information.

SECTION 3—COMPOSITION/INFORMATION ON INGREDIENTS		
CHEMICAL NAME/COMMON NAME/SYNONYM	Wt %	CAS NUMBER
Aluminum (Al) Metal	0.5–7.5	7429-90-5
Cobalt (Co) Metal	0.0-6.0	7440-48-4
Copper (Cu) Metal	54.0-68.0	7440-50-8
Iron (Fe) Metal	0.4-4.0	1309-37-1
Lead (Pb) Metal	<0.2–2.0	7439-92-1
Manganese (Mn) Metal	0.1–23.0	7439-96-5
Nickel (Ni) Metal	0.0-6.0	7440-02-0
Tin (Sn) Metal	<0.2–2.5	7440-31-5
Zinc (Zn) Metal	17.1–42.0	7440-66-6

## **SECTION 4—FIRST AID MEASURES**

**EYE CONTACT:** Not applicable to solid castings

**SKIN CONTACT:** No special requirements for solid castings

INGESTION: Not applicable
INHALATION: Not applicable

# **SECTION 5—FIREFIGHTING MEASURES**

FLAMMABLE PROPERTIES: Not applicable

**EXTINGUISHING MEDIA:** Not applicable

**PROTECTION OF FIREFIGHTERS:** Not applicable

## SECTION 6—ACCIDENTAL RELEASE MEASURES

Not applicable

## **SECTION 7—HANDLING & STORAGE**

## RECOMMENDED STORAGE

No special requirements

## PROCEDURES FOR HANDLING

Proper hand and foot protection is recommended.

## SECTION 8—EXPOSURE CONTROLS/PERSONAL PROTECTION

## **ENGINEERING CONTROLS**

None Required. There are no health hazards from castings in solid form.

SUBSTANCE	ACGIH TLV mg/m <sup>3</sup>	OSHA PEL mg/m <sup>3</sup>
Aluminum (Al) Metal		
Total Dust	N/E	15
Respirable Dust	1 (R)	5 (R)
Cobalt (Co) Metal	0.02	0.1
Copper (Cu) Metal	1	1
Iron (Fe) Metal	N/E	N/E
	0.05	30µg/m³ AL
Lead (Pb) Metal		50µg/m³ PEL
		(See 29CFR1910.1025)

Manganese (Mn) Metal	N/E	N/E
Nickel (Ni) Metal	1.5 (I)	1
Tin (Sn) Metal	2	2
Zinc (Zn) Metal	N/E	N/E

## SUPPLEMENTAL INFORMATION

Grinding castings that have not been cleaned or that contain embedded sand may generate significant amounts of dust containing crystalline silica.

Fumes from hot processes may contain other compounds with different exposure limits than those listed herein. Dust or fumes generated by machining, grinding, welding or thermal cutting of the casting may produce airborne contaminants. Exposure limits for the most common contaminants are offered as reference. Please consult a competent person for guidance on exposure assessment and controls.

SUBSTANCE		ACGIH TLV mg/m <sup>3</sup>	OSHA PEL mg/m <sup>3</sup>
Aluminum Oxide (AI)			
Total Dust		N/E	15
Respirable Dust		1 (R)	5 (R)
Cobalt (Co)			
Metal Dust and Fume		N/E	0.1
Metal and Inorganic Compounds		0.02	N/E
Copper Compounds			
Fume (Cu)		0.2	0.1
Dusts and Mists (Cu)		1	1
Iron Compounds			
Iron Oxide (Fe <sub>2</sub> O <sub>3</sub> ) Fume		N/E	10
Iron Oxide (Fe <sub>2</sub> O <sub>3)</sub> Respirable		5 (R)	N/E
Lead Compounds			
Inorganic Compounds (Pb)		0.05	30µg/m³ AL
			50µg/m³ PEL
			See 29CFR 1910.1025)
Manganese Compounds (Mn)		2.00 (5) 0.4 (1)	5 (0)
Fume and Inorganic Compounds		0.02 (R) 0.1 (I)	5 (C)
Nickel Compounds (Ni)		W	
Insoluble, Inorganic Compounds		0.2 (I)	1
Soluble, Inorganic Compounds		0.1 (I)	1
Nickel Oxide		0.2 (I)	1
Tin Oxide (Sn)		2	N/E
Zinc Compounds (Zn)			
Zinc Oxide Total Dust	_	N/E	15
Zinc Oxide Respirable Dust	2	2 / 10 (R) STEL	5
Zinc Oxide Fume		N/E	5

## **TERMS**

All exposure limits referenced herein are 8 hour time weighted averages (TWA) unless otherwise noted.

N/E = None Established

C = Ceiling

I = Inhalable fractionR = Respirable fraction

STEL = Short Term Exposure Limit

TLV = Threshold Limit Value/American Conference of Governmental Industrial Hygienists (ACGIH)

PEL = Permissible Exposure Limit / OSHA

AL = Action Level / OSHA mg/m³ = milligrams per cubic meter µg/m³ = micrograms per cubic meter

## PERSONAL PROTECTION

Proper hand and foot protection is recommended.

## **SECTION 9—PHYSICAL & CHEMICAL PROPERTIES**

#### APPEARANCE / PHYSICAL STATE

Solid, Orange-red in color

Solid, Orange-red in color	
ODOR/ODOR THRESHOLD	VAPOR DENSITY
None	Not applicable
MELTING POINT/FREEZING POINT	SPECIFIC GRAVITY (relative density)
Approximately 1085°C (1984°F) for copper	8.96 g/cm³ for copper (water = 1)
Melting point of copper-zinc alloy (17–42% zinc) is approximately 900–1000°C (1652–1832°F)	
BOILING POINT	VAPOR PRESSURE
2562°C (4644°F) for copper	Not applicable
FLASH POINT	EVAPORATION RATE
Not applicable for solid castings	Not applicable
FLAMMABILITY	SOLUBILITY IN WATER
Not flammable for castings in solid form	Insoluble
UPPER AND LOWER FLAMMABILITY LIMITS	pH
Not applicable for castings in solid form	Not applicable
AUTO IGNITION TEMPERATURE	VISCOSITY
Not applicable	Not applicable
DECOMPOSITION TEMPERATURE	PARTITION COEFFICIENT
Not applicable	Not applicable

## **SECTION 10—STABILITY & REACTIVITY**

**CHEMICAL STABILITY:** Castings in solid form are stable.

**CONDITIONS TO AVOID: None** 

REACTIVITY: Not reactive INCOMPATIBLE MATERIALS: None

HAZARDOUS DECOMPOSITION PRODUCTS
None Not applicable

# SECTION 11—TOXICOLOGICAL INFORMATION

# POTENTIAL HEALTH EFFECTS

SKIN: None
INGESTION: None
INHALATION: None

Carcinogen Classification of Ingredients				
INGREDIENT OSHA NTP IARC TARGET ORGAN(S)				
Cobalt and Compounds	NL	NL	2B	Lung
Lead and Inorganic Compounds	NL	R	2A	Lung, Stomach, Liver, Kidney
Nickel Metal	NL	K	2B	Lung, Nasal passages

#### **TERMS**

## OSHA—Occupational Safety & Health Administration

Y = Listed as a Human Carcinogen

## NTP—National Toxicology Program

K = Known to be a Human Carcinogen

R = Reasonably Anticipated to be a Human Carcinogen (RAHC)

# IARC—International Agency for Research on Cancer

1 = Carcinogenic to Humans

2A = Probably Carcinogenic to Humans

2B = Possibly Carcinogenic to Humans

3 = Unclassifiable as to Carcinogenicity in Humans

4 = Probably not Carcinogenic to Humans

#### Other

NL = Not Listed

SECTION 12—ECOLOGICAL INFORMATION		
ECOTOXICITY	PERSISTENCE AND DEGRADABILITY	
Not applicable	Not applicable	
BIOACCUMULATION POTENTIAL	MOBILITY IN SOIL	
Not applicable Not applicable		

#### OTHER ADVERSE EFFECTS

Not applicable

## **SECTION 13—DISPOSAL CONSIDERATIONS**

Recover or recycle if possible. Dispose of according to federal, state and local regulations. Dust collected from machining, welding, etc. may be classified as a hazardous waste. Consult federal, state and local regulations.

SECTION 14—TRANSPORT INFORMATION		
US DEPARTMENT OF TRANSPORTATION (DOT)-HMR (Hazardous Materials Registration)	CANADIAN TRANSPORTATION OF DANGEROUS GOODS (TDG)	
Not Regulated	Not regulated	
UN SHIPPING NAME	UN NUMBER	
Not regulated	Not regulated	
TRANSPORT HAZARD CLASS	PACKING GROUP	
Not regulated	Not regulated	
ENVIRONMENTAL HAZARDS	LABEL(S) REQUIRED?	
None	No	
TRANSPORT IN BULK	SPECIAL SHIPPING INFORMATION	
Not applicable	Not applicable	

## **SECTION 15—REGULATORY INFORMATION**

## **US-OSHA (Hazard Communication Standard)**

References: 29 CFR 1910.1200 Hazard Communication Standard

A finished casting is an article as defined in 29CFR 1910.1200 (c)

29 CFR 1910.1000 Air Contaminants

29 CFR 1910.1025 Lead

Dust or fumes generated by cleaning, machining, grinding, or welding of the casting may produce airborne contaminants, such as aluminum, cobalt, copper, iron, lead, manganese, nickel, zinc and silica.

#### **US-EPA (Toxic Substances Control Act-TSCA)**

All components of these products are on the TSCA inventory list or are excluded from listing.

## **US-EPA (SARA Title III)**

Releases to the environment of Aluminum (fume or dust), Cobalt, Copper, Lead, Manganese, Nickel and Zinc (fume or dust) may be subject to reporting under Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

## **CANADA-WHMIS (Workplace Hazardous Materials Information System)**

This SDS has been prepared according to the hazard criteria of the Controlled Product Regulations (CPR) and the SDS contains the information required by the CPR.

### **CANADA DSL (Domestic Substances List) Inventory Status**

All components of these products are on the DSL Inventory.

## **CEPA (Canadian Environmental Protection Act)**

Lead is on the Toxic Substances List.

#### EINECS No. (European Inventory of Existing Commercial Chemical Substances)

All components of these products are on the EINECS list.

## RoHS (Restriction of Certain Hazardous Substances) Compliance

Castings comply with RoHS

## **CALIFORNIA PROPOSITION 65 Compliance**

WARNING: This product contains or produces chemicals known to the State of California to cause cancer and birth defects (or other reproductive harm). (California Health & Safety Code 25248.5 et seq.)

#### **US STATE REGULATORY INFORMATION**

Some of the components listed in Section 3 may be covered under specific state regulations.

SECTION 16—OTHER INFORMATION		
SDS PREPARED BY	DATE	
American Foundry Society, Inc.	01/15	
Occupational Safety & Health Committee (10-Q)		

#### NOTE

This data and label information is offered in good faith as typical values and not as a product specification. No warranty either expressed or implied is hereby made. The recommended industrial hygiene and safe handling procedures are believed to be generally applicable. However, each user should review the recommendations in specific context of the intended use and determine if they are appropriate.

Addendum: Label Information

# **PRODUCT IDENTIFIER**

SC-000-022 Rev 13
MANGANESE BRONZE ALLOY CASTINGS
LEADED MANGANESE BRONZE ALLOY CASTINGS

SUPPLIER IDENTIFICATION	HAZARD PICTOGRAMS
Company Name MICC	None*
Street Address 850 Oakland Avenue	SIGNAL WORD
Mailing Address PO Box 707	None*
City Ponca City State OK	
Zip/Postal Code 74602 Country USA	
Emergency Phone Number 800-364-6422	
Other Info_www.emicc.com	
PRECAUTIONARY STATEMENTS	HAZARD STATEMENTS
None*	None*
	J

#### **OTHER INFORMATION**

- 1. Grinding castings that have not been cleaned or that contain embedded sand may generate significant amounts of dust containing crystalline silica.
- 2. Fumes from hot processes may contain other compounds with different exposure limits. Dust or fumes generated by machining, grinding, welding or thermal cutting of the casting may produce airborne contaminants. Consult Sections 3 & 8 of the SDS for further information.

<sup>\*</sup>Castings do not present hazards in their original form.